

ADDENDUM NO. 2

Waterford Estates 30-inch Trunk Sewer

E.O. No. 78974

T.C. No. 801615

Lincoln, Nebraska - 2007

Spec. No. 07-295

TO ALL WHO HAVE RECEIVED PLANS AND SPECIFICATIONS FOR THE REFERENCED PROJECT.

SCOPE

This Addendum covers the following additions, modifications, and clarifications to the Drawings and Specifications for this project.

SPECIAL PROVISIONS

1. Refer to CHAPTER 30 - SEEDING AND SODDING.
 - a. Delete the "Composition" under 30.05. Materials TYPE "H" Flood Plain Mix and the seed mix in the Special Provisions, and insert the following composition:

Wetland Seed Mix:

Virginia Wildrye	4.5 PLS lbs./Acre
Switchgrass	1.2 PLS lbs./Acre
Canada Wildrye	1.2 PLS lbs./Acre
Prairie Cordgrass	2.25 PLS lbs./Acre
Redtop	0.6 PLS lbs./Acre
Fowl Mannagrass	2.5 PLS lbs./Acre

This mix shall be used to reseed wetland areas disturbed by construction activities as indicated on the project drawings.

PROJECT DRAWINGS

1. Refer to Sheet No. 2 SUMMARY OF QUANTITIES, GENERAL NOTES, AND LEGEND.

Add the following to Note 11 regarding wetlands:

"A layer of seedless straw shall be placed on the existing ground to demark the existing ground elevation prior to sidecasting any material into wetlands for the construction of the trunk sewers. Side cast material shall be removed once the project is completed to the layer of seedless straw."

Each Bidder must acknowledge receipt of all addenda in the space provided on the Proposal form.

F:\Projects\20050079\24 inch and 30 inch trunk sewer BID PHASE\Addendum #2 for 30-inch\Addendum #2 30-inch.wpd

